

This patch cord is suitable wiring for Stock yard & factory 21131

STP

Cat5e Double shield type

Strong Point

UL20276 Oil resistant Flame retardant Heat resistant · RoHs Recommendation Open NW

This cable is reasonable price at single conductor & single shield

Cable NO	Outer	AWG size	Shield construction	core	Spec · length	Location
21131	diameter	AWG24	Al-Mylar tape	4P	UL20276	U bend test
Fix type	6.1 mm	0.51 mm	single tape laping	8C	max.100m	150 times

Order Style

FLAN

PMP

PMP

21131

□□ · □M

Manufacture &
Seller Taiyo Electric

Product
model NO

Both side RJ45
Connector

Cable NO

Required length

※ We are seller not only Patch cord but also RJ45 Connector

Standard Outer
color(yellow,Green)

If you have any question at Spec.
and others. Please contact our staff.

we are making from a one peace

Full inspection by tester



Industrial EtherNet LAN Cable
Optical Cable Optical Terminal Box
Robot Cable Instrumentation Cable
Network LAN Construction

Net System

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都狛江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022

<http://www.ns-jpn.co.jp>

This patch cord is suitable wiring for Stock yard & factory 2223 I

STP

CAT5e Copper bried Type

Strong point

UL20276

Oil resistant
Flame retardant

Heat resistant
RoHS

Fixed type

Recommendation Open N W

This Cable is reasonable price at Single shield

Cable NO	Outer	AWGサイズ	Shield Type	core	Spec・Length	Location
2223 I	daiiameter	AWG25	Copper bried	4P	UL20276	U bend test
Movable type	6.4mm	7/0.18mm	Single type	8C	max 50m	5000times

Order Style

FLAN

PMP

PMP

2223 I

□□・□M

Manufacture &
Seller Taiyo Electric

Product
model NO

Both side Rj45
Connector

Cable NO

equired cable lengt

※ We are seller not only Patch cord but also RJ45

※ We are making with eath lead wire . If you have any question. Please contact with our staff

Standard Color (gray)

If you have any question at Spec.
and others .Please contact our staff

We ara making one peace

Full inspection by tester



Industrial EtherNet LAN Cable
Optical Cable Optical Terminal Box
Robot Cable Instrumentation Cable
Network LAN Construction

Net System

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都柏江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022

<http://www.ns-jpn.co.jp>

This Patch cord is suitable wiring for Automatic machine & Robots 23231

STP

CAT5e Copper braid type

Strong Point

UL20276 Oil resistant · Flame retardant Heat resistant · RoHS Recommendation Open NW

The cable is reasonable price at single shield

★(U bend
test)
50million times
clear

U style bend test	Twist test	Bending test
50million times	Now testing	2million times

Cable NO	Outer	AWG size	shield style	core	Spec · length	Location
23231	diameter	AWG26	copper braid	4P	UL20276	U bend test
Removable type	6.2mm	30/0.08mm	single shield	8c	40m	50 million times

Order Style

FLAN

PMP

PMP

23231

□□ · □M

Manufacture &
Seller

Product
model NO

Both side RJ45
Connector

Cable NO

Required Length

※ These test data from cable maker . We can not guarantee

※ we are seller not only Patch cord but also RJ45 Connector

Standard outer sheath
Color(Gray)

If you have any question at spec.and
others please contact our staff

we are making a one peace

Full inspecton by tester



Industrial EtherNet LAN Cable
Optical Cable Optical Terminal Box
Robot Cable Instrumentation Cable
Network LAN Construction

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都柏江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022 <http://www.ns-jpn.co.jp>