

For Automatic Machine & Robot at slightly movable part

26334

STP

CAT5e (SA+AB : ALPet+Copper Braid) Double Shield Type

Strong Point

UL20276 Oil&Frame resist Flexible · Black jaket Fixing type Approved Open NW.

Approved EtherCAT

Recommend CC-Link IEF

EtherNet/IP

This cable is small at 5.1 mm and It good small space & suitable for wiring in the cabinet

Cable NO	Outer	AWG size	Shield	Core	Spec · Using length	Location
26334	Diameter	AWG28	Copper b+アルミ	4P	UL20276	U S bend tyle
Fixing type	5.1 mm	7/0.127mm	Double shield	8C	max 10m	2,000 times

Order syle

FLAN

NSP

NSP

26334

□□ · □M


Manufacture & Seller
Taiyo electric Co.,LtdIndustrial
STP
Base NoBoth side RJ45
Connector

Cable NO

Request length

We are making 200mm at min. length. (Length with less than 1m : +40mm - 0mm)

Standard color Black · Yellow

If you have any question at Spec.and others
Please contact our staffWe are making from one peace
Full inspection check by tester

Industrial Ethernet LAN Cable
Optical Cable Optical Terminal Box
Robot Cable Instrumentation Cable
Network LAN Construction

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都柏江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022 <http://www.ns-jpn.co.jp>

For Stock Yard & Factory in wiring system

21331

STP

CAT5e Dable shield type

Strong Point

UL20276

Oil & frame resistant

Heat resistant · RoHS

Fix type

Approved open NW

Approved EtherCAT

Recommend CC-Link IEF

Approved EtherNet/IP

Cable NO	Outer	AWG Size	Shield construction	core	Spec · length	Location
21331	Diameter	AWG24	Copper B+Alpet	4P	UL20276	U style
Fix type	6.6mm	0.51mm	Double shield	8c	max 100m	200times

Order style

FLAN

LDP

LDP

21331

□□ · □M

Manufacture & Seller
Taiyo electric Co.,LtdIndustrial
STPBoth side RJ45
Connector

Cable NO

Request length

※ We are seller not only Patch cord but also Rj45 Plug

※ UL approve is only cable


Standard color (yellow green)

If you have any question at Spec.and

Please contact our staff

We are making from one peace

Full inspection by tester



Industrial EtherNet LAN Cable
Optical Cable Optical Terminal Box
Robot Cable Instrumentation Cable
Network LAN Construction

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都柏江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022

<http://www.ns-jpn.co.jp>

Shightly movable type For Stockyard & Factory wiring system 22353

STP

CAT5e Dable shield type

Strong Point

UL444CM

Oil & Frame resist

Heat resistant · RoHS2

Fix Type

Approved open NW

Approved EtherCAT

Recommend CC-Link IEF

Approved EtherNet/ I P

Cable NO	Outer	AWG Size	Shield construction	Core	Spec · length	Location
22353	Daimeter	AWG26	Copper braide+Alpet	4P	UL444CM	U type
Fixed type	6.0mm	7/0.16mm	Double shield	8C	Max 60m	1,000 times

Order Style

FLAN

LDP

LDP

22353

□□ · □M

Manufacture & seller
Taiyo Electric Co.,LtdIndustrial
STP base
NOBoth side RJ45
Plug Connector

Cable NO

Request Length

※ We are seller not only patch cord but also this cable

※ UL approved is only cable

Standard Color (Orange)

If you have any question at Spec.
and others .Please contact our staff.

We are making one peace.

Full inspection check by tester

