

NO	Category	Manufacturer	Model number	Classification number	month and day
1	electric wire	Taiyo Electric	FLAN series	FLAN 26334	2025-06-01

Approved EtherCAT	Recommendation CC-Link IEF	Approved EtherNet/IP
-------------------	----------------------------	----------------------

This Patch cord is suitable wiring for Automatic Machine & Robot

This cable is small at 5.1mm and Using at small space & wiring in the cabinet

STP	CAT5e Double Shield Type
-----	--------------------------

Strong point	UL20276	Oil resistant Flame retardant	Flexible · Black jacket	Fix type	Recommendation Open NW
--------------	---------	-------------------------------	-------------------------	----------	------------------------

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Location
26334	diameter	AWG28	Copper braid+AL-SA+	4P	UL20276	U bend test
Fixed type	5.1mm	7/0.127mm	SB(Double)	8C	Max 10m	2,000 times

Order Style	FLAN	NSP	NSP	26334	□□ · □M
-------------	------	-----	-----	-------	---------

Manufacture&Seller  
: Taiyoelectric


Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

We are making 200mm at minimum cable length. (Assembly length with less than 1m : + 40mm – 0mm)

Standard color Black & Yellow

If you have any question at Spec.and others
Please contact our staff
We are making from one peace
Full inspection check by tester



Industrial EtherNet LAN Cable Optical Cable Optical Terminal Box Robot Cable Instrumentation Cable Network LAN Construction	 <b>ネットシステム(タイ) 株式会社</b> Net System (Thai) Co.,Ltd Din Daeng,Din Daeng, Bangkok 10400 TEL 02-640-5674 FAX 02-640-5673 <a href="http://www.ns-tha.com">http://www.ns-tha.com</a>
--	--

NO	Category	Manufacturer	Model number	Classification number	month and day
2	electric wire	Taiyo Electric	FLAN series	FLAN 21331	2025-06-01

Approved EtherCAT	Recommendation CC-Link IEF	Approved EtherNet/IP
-------------------	----------------------------	----------------------

This patch cord is suitable wiring for stock yard & factory

STP	CAT5e Double Shield Type
-----	--------------------------

Strong point	UL20276	Oil resistant Flame retardant	Heat resistant RoHS	Fix type	Recommendation Open NW
--------------	---------	----------------------------------	------------------------	----------	---------------------------

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Location
21331	diameter	AWG24	Copper braid+AL-	4P	UL20276	U bend test
Fixed type	6.6mm	0.51mm	SA+ SB(Double)	8C	Max 100m	2,00 times

Order Style	FLAN	LDP	LDP	21331	□□・□M
-------------	------	-----	-----	-------	-------

Manufacture&Seller  
: Taiyoelectric


Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

Standard color (yellow green)
If you have any question at Spec.and others Please contact our staff We are making from one peace Full inspection check by tester



Industrial Ethernet LAN Cable Optical Cable Optical Terminal Box Robot Cable Instrumentation Cable Network LAN Construction	<b>Net System</b> ネットシステム(タイ) 株式会社 Net System (Thai) Co.,Ltd Din Daeng,Din Daeng, Bangkok 10400 TEL 02-640-5674 FAX 02-640-5673 <a href="http://www.ns-tha.com">http://www.ns-tha.com</a>
--	---

NO	Category	Manufacturer	Model number	Classification number	month and day
3	electric wire	Taiyo Electric	FLAN series	FLAN 22353	2025-06-01

Approved EtherCAT	Recommendation CC-Link IEF	Approved EtherNet/IP
-------------------	----------------------------	----------------------

This patch cord is suitable wiring for stock yard & factory

STP	CAT5e Double Shield Type
-----	--------------------------

Strong point	UL444CM	Oil resistant Flame retardant	Heat resistant RoHS	Fix type	Recommendation Open NW
--------------	---------	----------------------------------	------------------------	----------	---------------------------

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Location
22353	diameter	AWG26	Copper braid+AL-	4P	UL444CM	U bend test
Fixed type	6.0mm	7/0.16mm	SA+ SB(Double)	8C	Max 60m	1000times

Order Style	FLAN	LDP	LDP	22353	□□・□M
-------------	------	-----	-----	-------	-------

Manufacture&Seller  
: Taiyoelectric

Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

Standard Color (Orange)
If you have any question at Spec.and others
Please contact our staff
We are making from one peace
Full inspection check by tester



Industrial EtherNet LAN Cable Optical Cable   Optical Terminal Box Robot Cable   Instrumentation Cable Network LAN Construction	 <b>ネットシステム(タイ) 株式会社</b> Net System (Thai) Co.,Ltd Din Daeng,Din Daeng, Bangkok 10400 TEL 02-640-5674 FAX 02-640-5673 <a href="http://www.ns-tha.com">http://www.ns-tha.com</a>
--	--

NO	Category	Manufacturer	Model number	Classification number	month and day
4	electric wire	Taiyo Electric	FLAN series	FLAN 23331	2025-06-01

Approved EtherCAT	Recommendation CC-Link IEF	Approved EtherNet/IP
-------------------	----------------------------	----------------------

This Patch cord is suitable wiring automatic machine & robot

STP	Outer diameter 6.2mm & Copper braid type
-----	--

Strong point	UL20276	Oil resistant Flame retardant	Heat resistant	ROHS2	Recommendation Open NW
--------------	---------	-------------------------------	----------------	-------	------------------------

U Style bending Test 50 million times clear	U style test(cable bear)	Twist test	Beding Test
	50 million times over	2million times	2milliontimes

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Location
23331	diameter	AWG26	Copper braid+AL-Mylar	4P	UL20276	U bend test
Removable	6.3mm	30/0.08mm	SA+SB(Double)	8C	Max 50m	50million times

Order Style	FLAN	LDP	LDP	23331	□□・□M
-------------	------	-----	-----	-------	-------

Manufacture&Seller  
: Taiyoelectric


Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

Standard Color (Grey)
If you have any question at spec. and others .Please contact our sutaff.
WE are making from one peace.
Full inspection check by tester.



Industrial Ethernet LAN Cable Optical Cable Optical Terminal Box Robot Cable Instrumentation Cable Network LAN Construction	 <b>ネットシステム(タイ) 株式会社</b> Net System (Thai) Co.,Ltd Din Daeng,Din Daeng, Bangkok 10400 TEL 02-640-5674 FAX 02-640-5673 <a href="http://www.ns-tha.com">http://www.ns-tha.com</a>
--	---

NO	Category	Manufacturer	Model number	Classification number	month and day
7	electric wire	Taiyo Electric	FLAN series	FLAN 22231	2025-06-01

**This patch cord is suitable wiring for stock yard & factory**

**STP**

**CAT5e Copper bried Type**

**Strong point**

UL20276

Oil resistant  
Flame retardant

Heat resistant  
RoHS

Fix type

Recommendation  
Open NW

**This Cable is reasonable price at Single shield**

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Location
22231	diameter	AWG25	Copper bried	4P	UL20276	U bend test
Movable type	6.4mm	7/0.18mm	Single type	8C	Max 50m	5000times

**Order Style**

**FLAN**

**PMP**

**PMP**

**22231**

□□・□M

Manufacture&Seller  
: Taiyoelectric

Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

**Standard Colar (gray)**

If you have any question at spec.

and others .Please contact our sutaff.

WE are making from one peace.

Full inspection check by tester.



Industrial EtherNet LAN Cable  
Optical Cable Optical Terminal Box  
Robot Cable Instrumentation Cable  
Network LAN Construction

**Net System**

ネットシステム(タイ) 株式会社

Net System (Thai) Co.,Ltd

Din Daeng,Din Daeng, Bangkok 10400

TEL 02-640-5674 FAX 02-640-5673

<http://www.ns-tha.com>

NO	Category	Manufacturer	Model number	Classification number	month and day
8	electric wire	Taiyo Electric	FLAN series	FLAN 23231	2025-06-01

For Automatic machine&Robot (SB:Highly movable)

STP

Outer diameter 6.2mm & Copper braid type

Strong point

UL20276

Oil resistant Flame  
retardant

Heat resistant

ROHS2

Recommendation  
Open NW

Using single shield own to good cost paformance

★U style bending  
Test 50million Times  
clear

U style test(cable bear)

50milliontimes

Twist test

Now testing

Beding Test

2milliontimes

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Use Condition
23231	diameter	AWG26	Bried Type	4P	UL20276	Removable
Remobable	6.2mm	30/0.08mm	Single	8C	Max 40m	Condition

Order Style

FLAN

PMP

PMP

23231

□□・□M

Manufacture&Seller  
: Taiyoelectric

Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

Standard Colar (gray)

These test data from cable maker.

We can not guarantee.

We are seller not only patch cord but also  
RJ45plug.



Industrial EtherNet LAN Cable  
Optical Cable Optical Terminal Box  
Robot Cable Instrumentation Cable  
Network LAN Construction

**Net System**

ネットシステム(タイ) 株式会社

Net System (Thai) Co.,Ltd

Din Daeng,Din Daeng, Bangkok 10400

TEL 02-640-5674 FAX 02-640-5673

<http://www.ns-tha.com>



NO	Category	Manufacturer	Model number	Classification number	month and day
9	electric wire	Taiyo Electric	FLAN series	FLAN 21131	2025-06-01

This patch cord is suitable wiring for Stock yard & factory

STP

Cat5e Double shield type

Strong point

UL20276

Oil resistant Flame  
retardant

Heat resistant

ROHS

Recommendation  
Open NW

This cable is reasonable price at single conductor & single shield

Cable NO	Outer	AWG	Shield	core	Spec.&Max length	Use Condition
21131	diameter	AWG24	AL-Mylar Tape	4P	UL20276	U bend test
Fix type	6.1mm	0.51mm	single tape lapping	8C	Max 100m	150times

Order Style

FLAN

PMP

PMP

21131

□□・□M

Manufacture&Seller  
: Taiyoelectric

Industrial STP  
Base No

Both side RJ45 Connector

Cable NO

Request  
Length

Standard Outer color(yellow,Green)

If you have any question at spec.  
and others .Please contact our sutaff.  
WE are making from one peace.  
Full inspection check by tester.



Industrial EtherNet LAN Cable  
Optical Cable Optical Terminal Box  
Robot Cable Instrumentation Cable  
Network LAN Construction

**Net System**

ネットシステム(タイ) 株式会社

Net System (Thai) Co.,Ltd

Din Daeng,Din Daeng, Bangkok 10400

TEL 02-640-5674 FAX 02-640-5673

<http://www.ns-tha.com>